



Aluminium Roof Windows



Let in the light



What's your *style?*

With our Roof Windows, there is a daylight system for every home style.


Whether you're embarking on your dream project, expanding a period terrace, or just looking to enhance your home's living environment, you can be sure to find the perfect solution to flood your property with bright, natural light.

Our glass rooflights are readily available in a variety of standard sizes, making your project hassle-free and quick. Our dedicated team of experts are always on hand to assist you in finding the perfect rooflight for your project.

Our products are designed and manufactured in the UK, surpassing the most recent standards for energy efficiency, safety and technical excellence. Plus, with a 10-year manufacturer's warranty covering the roof system range, you can rest assured your covered when you choose a roof system from UK Doors Online.

Roof Lantern

Enhance the visual appeal of living and dining spaces with a selection of contemporary 4 panel Lantern or a traditional 6 panel configuration, complementing any style of property. Available in sizes up to 3000mm x 2000mm.



Flat Roof Light

The ideal solution for modern living, the Flat Roof Light can be installed in single large square or rectangular formats or as a bundle of smaller rooflights. Available in sizes up to 3600mm x 1650mm with multiple design and opening options.



Circular Roof Light

A unique option that provides a central spotlight-like feature or as an interesting way to counteract smaller, darker spaces in properties, such as hallways.

Available in sizes up to 1500mm in diameter.





Roof Lantern


We're elevating roof lanterns to new heights.

Featuring slimline profiles, the Roof Lantern boasts ultra-fine detailing for stunning aesthetics while maximising daylight in your living or dining areas.

With sizing options reaching up to 3m x 2m, this stylish roof lantern has the power to revitalise even the most expansive extension endeavors.



HIGH-END, HIGH PERFORMANCE



Contemporary 4 Pane

Our roof lantern isn't just about aesthetics—it's engineered for superior performance in safety, energy efficiency, and minimal maintenance.

The slimline aluminum profiles are meticulously designed to complement thermally efficient double glazed units, minimising heat loss and conserving energy.



Traditional 6 Pane

The natural light from a roof lantern is a vital enhancement for extended living spaces, enriching your home environment and offering the proven advantages of daylight exposure and a connection to nature.

Tailor the light addition to your property with our wide range of sizing and glazing options.

The contemporary 4-panel roof lantern design minimises the visible structure to amplify daylight, while our classic 6-panel design incorporates extra glazing bars for a traditional touch.

- 9 standard sizes to choose from
- Simplified fitting process- taking just 20-25 minutes to install!
- Self-clean glazing options
- 2 lantern design styles
- Excellent weatherproofing
- Powder coated RAL 7016 Grey externally, and RAL 9010 White or RAL 7016 Grey internally

Elegance & Simplicity

The Roof Lantern is a simple and elegant way to increase the amount of daylight reaching your living area.

By reducing the number of parts required and the need for sealants within the lantern, the lantern provides a simplified installation process for a low maintenance, weathertight solution. A laminated inner pane ensures safety is a top priority for your property.

Our standard sizes can be delivered directly to you in as little as 5 days! For bespoke sizes and colours, enquire with us.

Precision aluminium castings


Slender aluminium frame

Laminated inner pane

Available in clear self-clean or blue solar control glazing

Low-E insulated double glazing

Aluminium frame powder coating



Quick & easy to install- scan the QR code to see for yourself! >



STANDARD SIZED PRODUCT OPTIONS

1500mm x 1000mm

2000mm x 1000mm

2000mm x 1500mm

2500mm x 1000mm

2500mm x 1500mm

2500mm x 2000mm

3000mm x 1000mm

3000mm x 1500mm

3000mm x 2000mm

Both roof lantern designs are available in our range of standard sizes & glazing options.



**Contemporary
4 Pane Lantern**



**Traditional
6 Pane Lantern**



SHOP NOW

Standard Glazing

- Clear self-clean
- Blue Solar self-clean

Optional Glazing

- Aqua solar self-clean
- Neutral solar self-clean

Also available in bespoke sizes and colours, contact our team today for a quote.



Expertly designed to minimise the number of parts, maximising the ease of fitting for a lifetime of efficiency.

The precision design of the roof lantern removes the need for sealants in installation, apart from the contact of the kerb bar to the builders upstand.

Innovative base frame design, provides an effective drip edge for superior weathertightness.

Precision castings at all junctions for premium appearance, strength, weatherproofing and security.

Super-slim bar depth of just 60mm to maximise light into the space below.

Laminated inner panes as standard for optimum safety.

Easy-fit glass stops, hook on to the kerb bar, simplifying the glazing process.

Pre-machined holes and slots throughout, maintains the integrity of the components and provides fast, easy assembly.

Co-extruded gaskets on inner bars eliminates 'gasket slip' during installation, ensuring weathertight glazing.


Precision Engineering

Flat Roof Light

MAXIMISE
SKY VIEWS

The Flat Roof Light offers an ideal solution for infusing natural light into various settings within modern homes.

Whether as a prominent central light source above dining or living areas in square or rectangular formats, or when used in multiples in smaller sizes for a striking impact and even distribution of light, these versatile fixtures excel. Their sleek, minimal design ensures safe and uninterrupted illumination, enriching extended spaces for an enhanced living experience.



Fixed, manual or electric openings, all available seamlessly integrated for a streamlined look.

Enhance further with solar control, tinted, or obscured glazing to achieve your desired aesthetic.



Choose a Flat Roof Light for the safest and most secure daylighting solution. Featuring a standard laminated inner pane, we prioritise your family's safety, ensuring that accidental breakage won't result in falling glass.

Our Flat Roof Lights are accredited with Secured by Design certification, offering peace of mind and protection against burglary.

- Available in a wide range of sizes
- Available as a fixed, manual or powered opening rooflight
- Non-opening options have Secure by Design accreditation as standard
- Versatile choice of design options



Alternative and bespoke sizing options are also available. Please note bespoke sizing may increase lead times.



Check out how easy installation is!

STANDARD SIZE PRODUCT OPTIONS

600mm x 600mm

750mm x 750mm

900mm x 600mm

900mm x 900mm

1000mm x 1000mm

1200mm x 600mm

1200mm x 900mm

1200mm x 1200mm

1500mm x 1000mm

Opening

- Fixed (SBD)
- Manual
- Powered

Ventilation

- Unvented
- Hit & miss
- Auto hit & miss

Kerbs

- No kerb (builder's upstand)
- 150mm uPVC kerb
- 300mm uPVC kerb

Glazing

Non standard glazing options are available to order, including solar control, self-clean and satin obscure glass.

**DELIVERY IN AS
LITTLE AS 48 HOURS!**

Circular Roof Light

STAND OUT FROM
THE CROWD



Express yourself in your home with a Circular Roof Light. All the benefits of our Flat Roof Light, with a bold statement.

Embrace a contemporary flair with its sleek, streamlined circular design and minimalist framework. Whether serving as a striking central feature for daylighting or an overhead addition in darker spaces, this unique roof light offers versatility.





Opt for a Circular Roof Light to make a visual statement in contemporary living areas.

Select from various sizes and install it either onto a builder's upstand or with a pre-fabricated insulated GRP kerb. Like our other roof systems, you can have peace of mind knowing that there won't be any falling glass in the event of accidental breakage, as the laminated inner pane ensures ultimate safety.

Available in diameters ranging from 600mm to 1500mm, this premium range elevates spaces from cozy bathrooms to expansive living areas.

Beyond its elegant aesthetic, this solution ensures a hassle-free experience for your construction timeline, with effortless installation, low maintenance, and swift delivery for stock sizes.



PRODUCT OPTIONS

DELIVERY IN AS LITTLE AS 48 HOURS!

Sizing Options

600mm

750mm

900mm

1050mm

1200mm

1350mm

1500mm

Glazed unit only

Apply to an existing builder's upstand.

Insulated GRP Kerb

150mm height

Finish Options

Can be powder coated to any single RAL colour upon request.

Glazing

Non standard glazing options are available to order, including solar control, self-clean and satin obscure glass.

Bespoke sizing options also available, enquire with us today. Please note this may increase lead times.

Technical Information

Our roof windows are available in standard sizings, or made to your bespoke requirements. From choosing the product style, to size and glass options, you can find the perfect lighting solution for every home.

Take a look at the technical information for our Roof Lanterns, Flat Roof Lights and Circular Roof Lights to help to find your home's perfect fit.

Aluminium 4-Pane Roof Lantern



Roof Lanterns are a stylish double-glazed glass roof light, with a laminated inner glass pane as standard for ultimate safety, and fully thermally broken with a powder coated aluminium frame. Intended for quick and easy installations on flat roofs, the lantern provides exceptional natural light into any home.

Aluminium Roof Lantern	
Max Width*	2000mm
Max Length*	3000mm
Pane Options	4-Pane or 6-Pane
Glazing Options	Double Glazed (Low E): Clear self-clean/ Blue self-clean, Special glass options also available
Testing	
U-values	as low as 1.87 W/m2K
Safety Standards	ISO 9001 industry standards, BS EN12150, BS 14449 and BS 1279 compliant
Specification	
Thermal Efficiency	Thermally-broken system, Low E glazing
Powder Coating (Internal)	RAL 9010 (White) or RAL 7016 (Grey)
Powder Coating (External)	RAL 7016 (Grey)
Acoustic Performance	Sound insulation value of 35db (Rw)
Wind Load	2400 N/m2
Safety Performance	Certified Laminated Inner Pane

*Standard sizes are available, see pg 6 for full size list. For bespoke sizing, please enquire with our team.






Aluminium Flat Roof Light

The Flat Roof Lights are individual glass roof lights intended for installation on flat roofs of all modern building types to provide natural light (and ventilation where specified).

Manufactured to ISO 9001 industry standards, the roof light exhibits a clean and stylish design with a slimline powder coated frame and flush fitting glass panel. All fixed Flat Roof Lights also achieve the Secured by Design accreditation.



Aluminium Flat Roof Light

Max Size (Standard Square)	2000mm x 2000mm
Max Size (Standard Rectangle)	2850mm x 1650mm
Max Size (Powered Square)	1200mm x 1200mm
Max Size (Powered Rectangle)	1500mm x 1000mm
Max Size (Manual)	1200mm x 1200mm

Testing

U-values	as low as 1.46 W/m ² K
Safety Standards	ISO 9001 industry standards, BS EN12150, BS 14449 and BS 1279 compliant, PAS24:2016 & Secured by Design

Specification

Roof Application	Suitable to be mounted on pitches 2°-15°
Powder Coating	RAL 7016 (Grey)
Opening Options	Fixed, Manual or Powered
Acoustic Performance	Sound insulation value of 38db (Rw)
Wind Load	2400 N/m ² (fixed), 1200 N/m ² (opening)
Ventilation Options	Trickle Ventilation (Hit-and-Miss) or Automatic Humidity Controlled
Safety Performance	Certified Laminated Inner Pane & Secured by Design


*Standard sizes are available, see pg 9 for full size list. For bespoke sizing, please enquire.

Circular rooflights have risen in popularity to create impressive spaces in modern interiors.

Our Circular Roof Light is a premium round rooflight known by its distinct styling and is available in a range of sizes for mounting to builder's upstand or complete with pre-fabricated kerb. The state-of-the-art glazing unit gives a spotless internal appearance, a minimal elegant exterior and allows daylight to spread evenly through an interior space.

Aluminium Circular Roof Light	
Min Size*	600mm
Max Size*	1500mm
Pane Options	Circular only
Glazing Options	Laminated Inner Pane. Non-standard glazing options available on request.
Testing	
U-values	as low as 1.16 W/m2K
Safety Standards	CWCT TN-67 non-fragility for class 1 roofs and ACR[M]001 class B non-fragility
Specification	
Roof Application	Suitable to be mounted on pitches 2°-15°
Powder Coating	RAL 7016 (Grey)
Acoustic Performance	Sound insulation value of 38db (Rw)
Wind Load	1800 N/m2
Safety Performance	Certified Laminated Inner Pane

*Standard sizes are available, see pg 11 for full size list. For bespoke sizing, please enquire with our team.



Frequently asked *questions...*

Q: Are roof lanterns cold?

Roof lanterns can be cold to touch (although you may struggle to reach!), but they are in fact highly thermally efficient. Our glass roof lanterns are designed with superior insulation in mind. They come equipped with laminated glass on the inner pane as standard, ensuring excellent thermal performance and additional safety in case of accidental breakages.

Q: Do I need planning permission for roof windows?

No, in most cases, you do not need planning permission for a roof lantern or a flat roof light, meaning you can install them without seeking consent, as long as certain conditions are met. These conditions are usually regarding size and positioning. However, it's always wise to check with your local planning authority before installing a roof lantern.

Q: Are roof windows noisy when it rains?

Not necessarily. Our roof products have double glazing as standard to provide an effective sound barrier, especially when it's raining.

Q: Can a roof lantern be fitted in a day?

Yes, it is possible for a roof lantern to be fitted in a day, in fact our roof lanterns boast super-speedy installation times of around 25 minutes!

Q: Do roof lights need an upstand on a flat roof?

Yes, roof lights require an upstand when installed on a flat roof. It provides a raised platform around the perimeter of the roof light, which helps to prevent water ingress. You can find more details and specifications on our installation guide.



Aluminium Roof Lanterns



Aluminium Flat Roof Lights



Email sales@southeastdoorsonline.co.uk

Tel 01634 913 001

www.southeastdoorsonline.co.uk

South East Doors Online, Gibraltar Farm, Gillingham, Kent, ME7 3JJ



02/23 V21 The content of this document, photographic reproduction and technical details remain the sole property of UK Doors Online Limited., all rights reserved. It cannot be reproduced, in whole or in part, without explicit permission. Terms and conditions of sale apply, a copy of which is available on request.